5 0 ay -

SEARCH REQUEST FORM

Scientific and Technical Information Center		
		, , , , , , , , , , , , , , , , , , , ,
Requester's Full Name: Koy	0, (7165on	Examiner #: 74499 Date: 12/20/02 Serial Number: 09/905, 7/5 Its Format Preferred (circle): PAPER DISK E-MAIL
Art Unit: 3739 Phone N Mail Box and Bldg/Room Location:	umber 30 8 - 35 2 0	Serial Number: 09/905, 7/5
Wall box and blug Room Eccanon Results Format Freiened (chee). FAI ER DISK E-WAIL		
If more than one search is submitted, please prioritize searches in order of need.		
Please provide a detailed statement of the search topic, and describe as specifically as possible the subject matter to be searched. Include the elected species or structures, keywords, synonyms, acronyms, and registry numbers, and combine with the concept or utility of the invention. Define any terms that may have a special meaning. Give examples or relevant citations, authors, etc, if known. Please attach a copy of the cover sheet, pertinent claims, and abstract.		
Title of Invention: System & Method for Cooling the Contex to Treat Neocordical Inventors (please provide full names): Steven M. Rothman Seizures		
Inventors (please provide full names): Steven M. Rothman Seigures		
Earliest Priority Filing Date: 5/4/0/		
For Sequence Searches Only Please include all pertinent information (parent, child, divisional, or issued patent numbers) along with the		
appropriate serial number.	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·
Please search method claims only (Class 1-10)		
A Peltier chip is more commonly called a Peltier device		
A Peltier chip is more commonly called a Verilla a conse		
OR Cooler or thermoelectric Coolor.		
OR COULER OR THEN TO STATE OF		
		•
********	*******	*********
STAFF USE ONLY	Type of Search	Vendors and cost where applicable
Searcher: Julic Walko	NA Sequence (#)	STN
Searcher Phone #: 305-8587	AA Sequence (#)	Dialog
Searcher Location: (PZ-2108	Structure (#)	Questel/Orbit
Date Searcher Picked Up: 12/24/01	Bibliographic	Dr.Link
Date Completed: Date Completed:	Litigation	Lexis/Nexis
Searcher Prep & Review Time: 53 m	Fulltext	Sequence Systems
Clerical Prep Time:	Patent Family	WWW/Internet
Online Time: 47m	Other	Other (specify)
PTO-1590 (8-01)		AUB





Discussion/Support Groups Treaching/Conferences

CURRENT RESEARCH PROJECTS

I. Clinical Trials of Anti-epileptic Drugs

- Levetiracetam in the treatment of partial seizures in children Dr. Trevathan, Principal Investigator
 Drs. Arnold, Thio, Dodson, Co-Investigators MORE information
- Lamotrigine in the treatment of partial seizures in young children (under the age of 2

years)

Dr. Trevathan, Principal Investigator

Drs. Arnold, Thio, Dodson, Wong, Co-Investigators MORE information

• Lamotrigine for generalized tonic-clonic seizures

Dr. Trevathan, Principal Investigator

Drs. Arnold, Thio, Wong, Co-Investigators

II. Epidemiology & Health Services Research

- Epidemiology of status epilepticus among hospitalized patients in the United States Dr. Trevathan, Mr. Fitzgerald
- The impact of status epilepticus upon the risk of death among hospitalized children and adults

Dr. Trevathan, Mr. Fitzgerald

III. Clinical Epilepsy

- Predictors of outcome among children and adolescents who have epilepsy surgery Drs. Arnold, Trevathan
- Predictors of intractability in children with partial epilepsy Drs. Arnold, Trevathan
- Seizure relapse after discontinuation of the ketogenic diet Dr. Arnold
- Language regression and EEG features of Landau-Kleffner syndrome Dr. Arnold
- Flumazenil PET and decision-making in non-lesional epilepsy Dr. Ojemann
- Functional MRI and cortical stimulation mapping of language Dr. Ojemann
- Pre and post-operative evaluation of memory with functional MRI

Dr. Ojemann

 Outcome of trans-parahippocampal selective amygdalo-hippocampectomy for medial temporal lobe epilepsy in children

Drs. Park, Blackburn

- Cerebrospinal fluid markers of neuronal damage following seizures in children Dr. Wong
- Improvement of magnetic resonance techniques for imaging seizures Dr. Zempel

IV. Basic Neuroscience Research in Epilepsy

- Epileptogenesis in dysplastic cortex Drs. Brunstrom, Wong, Yamada
- Cellular mechanisms of the ketogenic diet Drs. Thio, Yamada
- The role of glycine in normal and abnormal synaptic transmission in cortex Dr. Thio
- Basic mechanisms of epileptogenesis in the developing nervous system Dr. Wong
- Animal models of epilepsy *Dr. Wong*
- Neuronal damage from hypoglycemia and seizures
 Dr. Yamada

RECENT PUBLICATIONS BY PEDIATRIC EPILEPSY CENTER MEMBERS

Connolly AM, Chez MG, Pestronk A, <u>Arnold ST</u>, Mehta S, Deuel RK. Serum autoantibodies to brain in Landau-Kleffner variant, autism, and other neurologic disorders. J. Pediatr 1999;134:607-613.

Guberman AH, Besag FM, Brodie MJ, Dooley JM, Duchowny MS, Pellock JM, Richens A, Stern RS, <u>Trevathan E</u>. Lamotrigine-associated rash: risk/benefit considerations in adults and children. Epilepsia 1999;40:985-991.

Hill MW, Wong M, Amarakone , Rothman SM Rapid cooling aborts seizure-like activity in rodent hippocampal-entorhinal slices. Epilepsia 2000; 41:1241-1248.

Kerrigan JF, Shields WD, Nelson TY, Bluestone DL, <u>Dodson WE</u>, Bourgeois BF, Pellock JM, Morton LD, Monaghan EP. Ganaxolone for treating intractable infantile spasms: a multicenter, open-label, add-on trial. Epilepsy Res 2000 Dec;42(2-3):133-9

McDermott KB, Ojemann JG, Petersen SE, Ollinger JM, Snyder AZ, Akbudak E, Conturo TE, Raichle ME. Direct comparison of episodic encoding and retrieval of words: an event-related fMRI study. Memory 1999 Sep-Nov;7(5-6):661-78.

on the state

2 of 4

Ojemann JG, Park TS. Surgical treatment of pediatric epilepsy: Surgery and outcome. In Bourgeois BDF, Dodson EW (ed): Pediatric Epilepsy Diagnosis and Therapy, Demos, New York, 2001, pp589-599.

Robinson S, <u>Park TS</u>, <u>Blackburn LB</u>, Bourgeois BF, <u>Arnold ST</u>, <u>Dodson WE</u>. Transparahippocampal selective amygdalohippocampectomy in children and adolescents: efficacy of the procedure and cognitive morbidity in patients. J Neurosurg 2000;93:402-409.

Rosen HJ, Ojemann JG, Ollinger JM, Petersen SE. Comparison of brain activation during word retrieval done silently and aloud using fMRI. Brain Cogn 2000 Mar;42(2):201-17

Shinnar S, Rapin I, <u>Arnold S</u>, Tuchman RF, Shulman L, Ballaban-Gil K, Maw M, Deuel RK, Volkmar FR. Language regression in childhood. Pediatr Neurol 2001;24:185-191.

Smith CD, <u>Trevathan E</u>, Zhang M, Anderson AH, Avison MJ. Functional MRI evidence for task-specific activation of developmentally abnormal visual association cortex. Ann Neurol 1999;45:515-518.

Thio LL, Wong M, Yamada KA. Ketone bodies do not directly alter excitatory or inhibitory hippocampal synaptic transmission. Neurology 2000;54:325-331.

Trevathan E, Murphy CC, Yeargin-Allsopp M. The descriptive epidemiology of infantile spasms among Atlanta children. Epilepsia 1999;40(6):748-751.

Wong M, Schlaggar BL, Landt M. Postictal cerebrospinal fluid abnormalities in children. J Pediatr 2001;138:373-377.

Wong M, Trevathan E. Infantile spasms. Ped Neurol 2001;24:89-98.

Wong M, Yamada KA. Cyclosporine induces epileptiform activity in an *in vitro* seizure model. Epilepsia 2000;41:271-276.

Wong M, Yamada KA. Developmental characteristics of epileptiform activity in immature rat neocortex: a comparison of four in vitro seizure models. Dev Brain Res 2001;128:113-120.

CLINICAL TRIALS

The Pediatric Epilepsy Center conducts clinical trials of newer anti-epileptic drugs and other newer therapies for epilepsy in children. All ongoing studies may not be listed on this webpage.

Please call 314-454-4089 for more information.

Levetiracetam for Intractable Partial Seizures in Children

Edwin Trevathan, M.D., Principal Investigator

Tracy Connell, C.P.N.P, Nurse Coordinator

Please contact Dr. Trevathan or Ms. Connell at 314-454-4089 for more information

Dr. Ojemann

 Outcome of trans-parahippocampal selective amygdalo-hippocampectomy for medial temporal lobe epilepsy in children

Drs. Park, Blackburn

- Cerebrospinal fluid markers of neuronal damage following seizures in children Dr. Wong
- Improvement of magnetic resonance techniques for imaging seizures Dr. Zempel

IV. Basic Neuroscience Research in Epilepsy

- Epileptogenesis in dysplastic cortex Drs. Brunstrom, Wong, Yamada
- Cellular mechanisms of the ketogenic diet Drs. Thio. Yamada
- The role of glycine in normal and abnormal synaptic transmission in cortex *Dr. Thio*
- Basic mechanisms of epileptogenesis in the developing nervous system Dr. Wong
- Animal models of epilepsy *Dr. Wong*
- Neuronal damage from hypoglycemia and seizures Dr. Yamada

RECENT PUBLICATIONS BY PEDIATRIC EPILEPSY CENTER MEMBERS

Connolly AM, Chez MG, Pestronk A, <u>Arnold ST</u>, Mehta S, Deuel RK. Serum autoantibodies to brain in Landau-Kleffner variant, autism, and other neurologic disorders. J. Pediatr 1999:134:607-613.

Guberman AH, Besag FM, Brodie MJ, Dooley JM, Duchowny MS, Pellock JM, Richens A, Stern RS, <u>Trevathan E</u>. Lamotrigine-associated rash: risk/benefit considerations in adults and children. Epilepsia 1999;40:985-991.

Hill MW, Wong M, Amarakone, Rothman SM. Rapid cooling aborts seizure-like activity in rodent hippocampal-entorhinal slices. Epilepsia 2000; 41:1241-1248.

Kerrigan JF, Shields WD, Nelson TY, Bluestone DL, <u>Dodson WE</u>, Bourgeois BF, Pellock JM, Morton LD, Monaghan EP. Ganaxolone for treating intractable infantile spasms: a multicenter, open-label, add-on trial. Epilepsy Res 2000 Dec;42(2-3):133-9

McDermott KB, <u>Ojemann JG</u>, Petersen SE, Ollinger JM, Snyder AZ, Akbudak E, Conturo TE, Raichle ME. Direct comparison of episodic encoding and retrieval of words: an event-related fMRI study. Memory 1999 Sep-Nov;7(5-6):661-78.

12/20/02 1:54 PM

10924665 20503402 PMID: 11051118

Rapid cooling aborts seizure-like activity in rodent hippocampal-entorhinal slices.

Hill M W; Wong M; Amarakone A; Rothman S M

Department of Neurology, Washington University School of Medicine, St. Louis, Missouri, USA.

Epilepsia (UNITED STATES) Oct 2000, 41 (10) p1241-8, ISSN 0013-9580 Journal Code: 2983306R

Contract/Grant No.: K12 NS01690; NS; NINDS; P01 NS14834; NS; NINDS; R01 NS21045; NS; NINDS

Document type: Journal Article

Languages: ENGLISH

Main Citation Owner: NLM Record type: Completed Subfile: INDEX MEDICUS

PURPOSE: As a preliminary step in the development of an implantable Peltier device to abort focal neocortical seizures in vivo, we have examined the effect of rapid cooling on seizures in rodent hippocampal-entorhinal slices. METHODS: Seizure-like discharges were induced by exposing the slices to extracellular saline containing 4-aminopyridine (50 micromol/L). RESULTS: When we manually activated a Peltier device that was in direct contact with the slice, seizures terminated within seconds of the onset of cooling, sometimes preceding a detectable decrease in temperature measured near the top of the slice. However, activation of the Peltier device did not stop seizures when slices were no longer in direct physical contact with the device, indicating that this was not a field effect. When cooling was shut off and temperature returned to 33 degrees C, bursting sometimes returned, but a longer-term suppressive effect on seizure activity could be observed. In two of our experiments, a custom computer program automatically detected seizure discharges and triggered a transistor-transistor logic pulse to activate the Peltier device. In these experiments, the Peltier device automatically terminated the slice bursting in less than 4 seconds. When the Peltier device was placed in contact with the normal, exposed cortex of a newborn pig, we found that the cortical temperature decreased rapidly from 36 degrees C to as low as 26 degrees C at a depth of 1.7 mm below the cooling unit. CONCLUSIONS: These experiments show that local cooling may rapidly terminate focal paroxysmal discharges and might be adapted for clinical practice.

